

# FAZe

## 2017 CATALOGUE




radiantlighting

[www.radiantlighting.com.au](http://www.radiantlighting.com.au)



# ABOUT US

**FAZE develops innovative lighting products for commercial, residential and industrial applications. Unique among Australian suppliers, we design and manufacture our own products.**



## HQ

10 Gibberd Road Balcatta  
Western Australia 6021  
T 1300 438 609 F 1300 438 610  
E [info@radiantlighting.com.au](mailto:info@radiantlighting.com.au)  
W [radiantlighting.com.au](http://radiantlighting.com.au)







06-17

## DOWNLIGHTS

---

18-25

## SURFACE MOUNT LIGHTING

---

26-31

## LED STRIP LIGHTING

---


32-36

## WALL LIGHTS





<b>Product name</b>	Faze Fixed Round Pro LED
<b>Designer</b>	Radiant Lighting
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-1000LP (White) 83-1003LP (Black Satin) 83-1006LP (Satin Chrome) 83-1007LP (Silver)
<b>Category</b>	Ceiling
<b>Material</b>	Aluminium
<b>Light source</b>	LED 12W
<b>CRI</b>	95
<b>Beam Angle</b>	60°
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	800 lm
<b>Finishes</b>	White Black Satin Satin Chrome Silver
<b>Dimensions</b>	Ø 106 x 75 (H) mm Cut-out Ø 92 mm
<b>IP</b>	20
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	7 years












# MINI ROUND PRO LED

<b>Product name</b>	Faze Mini Round Pro LED
<b>Designer</b>	Radiant Lighting
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-3000LP (White) 83-3003LP (Black Satin) 83-3006LP (Satin Chrome) 83-3007LP (Silver)
<b>Category</b>	Ceiling
<b>Material</b>	Aluminium
<b>Light source</b>	LED 12W
<b>CRI</b>	95
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	800 lm
<b>Finishes</b>	White Black Satin Satin Chrome Silver
<b>Dimensions</b>	Ø 81 x 75 (H) mm Cut-out Ø 70 mm
<b>IP</b>	20
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	7 years



<b>Product name</b>	Faze Square Pro LED
<b>Designer</b>	Radiant Lighting
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-1100LP (White) 83-1103LP (Black Satin) 83-1106LP (Satin Chrome) 83-1107LP (Silver)
<b>Category</b>	Ceiling
<b>Material</b>	Aluminium
<b>Light source</b>	LED12W
<b>CRI</b>	95
<b>Beam Angle</b>	60°
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	800 lm
<b>Finishes</b>	White Black Satin Satin Chrome Silver
<b>Dimensions</b>	Ø 106 x 106 x 75 (H) mm Cut-out Ø 92 mm
<b>IP</b>	20
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	7 years








# MINI SQUARE PRO LED


Product name	Faze Mini Square Pro LED
Designer	Radiant Lighting
Manufacturer	FAZE
Product code	83-3100 LP (White) 83-3103 LP (Black Satin) 83-3106 LP (Satin Chrome) 83-3107 LP (Silver)
Category	Ceiling
Material	Aluminium
Light source	LED 12W
CRI	95
Beam Angle	60°
Colour Temperature	3000K Warm White 4000K Cool White (Upon Request)
Lumens	800 lm
Finishes	White Black Satin Satin Chrome Silver
Dimensions	Ø 81 x 81 x 75 (H) mm Cut-out Ø 70mm
IP	20
Dimming	Triac Dimming
Warranty	7 years







<b>Product name</b>	Loomi 12C
<b>Designer</b>	Radiant Lighting
<b>Manufacturer</b>	FAZE
<b>Product code</b>	104-12C3K90W (White) 104-12C3K90S (Silver)
<b>Category</b>	Ceiling
<b>Material</b>	Pure aluminium   PMMA
<b>Light source</b>	LED 12W
<b>CRI</b>	93+
<b>Beam Angle</b>	90°
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White
<b>Lumens</b>	800 lm
<b>Finishes</b>	White Silver
<b>Dimensions</b>	Ø 105 mm Cut-out Ø 90 mm
<b>IP</b>	44
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	5 years










<b>Product name</b>	Deep
<b>Designer</b>	Radiant Lighting
<b>Manufacturer</b>	FAZE
<b>Product code</b>	Ø 84 118-210 (White) 118-211 (Black) Ø 100 118-215 (White) 118-216 (Black)
<b>Category</b>	Ceiling
<b>Material</b>	Aluminium
<b>Light source</b>	Ø 84 LED 12W Ø 100 LED 15W
<b>CRI</b>	92+
<b>Beam Angle</b>	33° at 12W/15W (M) 60° at 12W/15W (F)
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	800 at 12W 1135 at 15W
<b>Finishes</b>	White Black
<b>Dimensions</b>	Ø 84 x 105 (H) mm   Cut-out Ø 76 mm Ø 100 x 115 (H) mm   Cut-out Ø 92 mm
<b>IP</b>	44
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	7 years




<b>Product name</b>	Starlight LED
<b>Designer</b>	Radiant Lighting
<b>Manufacturer</b>	FAZE
<b>Product code</b>	118-100 (White) 118-110 (Aluminium)
<b>Category</b>	LED
<b>Material</b>	Aluminium
<b>Light source</b>	LED 3W
<b>CRI</b>	80+
<b>Beam Angle</b>	20°
<b>Colour Temperature</b>	3000K Warm White
<b>Lumens</b>	120 at 3W
<b>Finishes</b>	White Anodised Aluminium
<b>Dimensions</b>	Ø 37 mm Cut-out Ø 32 mm
<b>IP</b>	65
<b>Dimming</b>	Triac Dimming
<b>Driver</b>	118-90 (sold separately) 700mA 18W 6-18V Driver Dimmable (runs 2-6)
<b>Warranty</b>	3 years






Product name	Deep Starlight
Designer	Radiant Lighting
Manufacturer	FAZE
Product code	118-200 (White) 118-201 (Black)
Category	Ceiling
Material	Aluminium
Light source	LED 5W
CRI	92+
Beam Angle	50° at 5W
Colour Temperature	3000K Warm White 4000K Cool White (Upon Request)
Lumens	450 at 5W
Finishes	White Black
Dimensions	Ø 43 x 55 (H) mm   Cut-out Ø 38 mm
IP	65
Dimming	Triac Dimming
Warranty	7 years




<b>Product name</b>	Pip Fixed ED
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-PIPFE9NWB (White/Black) 83-PIPFE9NB (Black)
<b>Category</b>	Ceiling
<b>Light source</b>	LED 9W
<b>CRI</b>	90+
<b>Beam Angle</b>	35° (M) 50° (F)
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	820 at 9W
<b>Finishes</b>	White/Black (WB) Black (B)
<b>Dimensions</b>	Ø 90 x 150 (H) mm
<b>IP</b>	20
<b>Dimming</b>	No
<b>Warranty</b>	3 Years







Product name	Split	
Designer	FAZE	
Manufacturer	FAZE	
Product code	9W NON DIM 83-SPLIT9NM... 83-SPLIT9NF... 12W NON DIM 83-SPLIT12NM... 83-SPLIT12NF...	9W DIM 83-SPLIT9DM... 83-SPLIT9DF... 12W DIM 83-SPLIT12DM... 83-SPLIT12DF...
Category	Ceiling	
Light source	LED 9W/12W	
CRI	90+	
Beam Angle	9W 32° (M) 48° (F) 12W 35° (M) 52° (F)	
Colour Temperature	3000K Warm White 4000K Cool White (Upon Request)	
Lumens	740 at 9W 1355 at 12W	
Finishes	Sand Black (SB) Sand White/Black (SWB) Sand Black/Gold (SBG) Silver Grey/Black (SGB)	
Dimensions	Ø 65 x 200 (H) mm	
IP	20	
Dimming	Triac Dimming	
Warranty	3 Years	



<b>Product name</b>	Lucid A
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	<div> <div> Ø290 DIM 83-LCDA2918DW (White) 83-LCDA2918DS (Silver) Ø350 DIM 83-LCDA3529DW (White) 83-LCDA3529DS (Silver) </div> <div> Ø290 NON-DIM 83-LCDA2918W (White) 83-LCDA2918S (Silver) Ø350 NON-DIM 83-LCDA3529W (White) 83-LCDA3529S (Silver) </div> </div>
<b>Category</b>	Ceiling
<b>Light source</b>	Ø290 LED 18W Ø350 LED 29W
<b>CRI</b>	80+
<b>Beam Angle</b>	110°
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	1300 at 18W 2100 at 29W
<b>Finishes</b>	White Silver
<b>Dimensions</b>	Ø 290 x 50(H) mm Ø 350 x 52 (H) mm
<b>IP</b>	20
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	3 years




<b>Product name</b>	Lucid S
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	<div> <div> Ø290 DIM 83-LCDS2918DW (White) 83-LCDS2918DS (Silver) Ø350 DIM 83-LCDS3529DW (White) 83-LCDS3529DS (Silver) </div> <div> Ø290 NON DIM 83-LCDS2918W (White) 83-LCDS2918S (Silver) Ø350 NON DIM 83-LCDS3529W (White) 83-LCDS3529S (Silver) </div> </div>
<b>Category</b>	Ceiling
<b>Light source</b>	Ø290 LED 18W Ø350 LED 29W
<b>CRI</b>	80+
<b>Beam Angle</b>	110°
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	1300 at 18W 2100 at 29W
<b>Finishes</b>	White Silver
<b>Dimensions</b>	Ø 290 x 50 (H) mm Ø 350 x 52 (H) mm
<b>IP</b>	20
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	3 years






<b>Product name</b>	Luxe Circle	
<b>Designer</b>	FAZE	
<b>Manufacturer</b>	FAZE	
<b>Product code</b>	Ø220 DIM 83-LXC2215DW (White) 83-LXC2215DS (Silver) Ø270 DIM 83-LXC2729DW (White) 83-LXC2729DS (Silver) Ø400 DIM 83-LXC4038DW (White) 83-LXC4038DS (Silver)	Ø220 NON DIM 83-LXC2215W (White) 83-LXC2215S (Silver) Ø270 NON DIM 83-LXC2729W (White) 83-LXC2729S (Silver) Ø400 NON DIM 83-LXC4038W (White) 83-LXC4038S (Silver)
<b>Category</b>	Ceiling	
<b>Light source</b>	Ø220 LED 15W Ø270 LED 29W Ø400 LED 38W	
<b>CRI</b>	80+	
<b>Beam Angle</b>	110°	
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)	
<b>Lumens</b>	1000 at 15W 1850 at 29W 2600 at 38W	
<b>Finishes</b>	White Silver	
<b>Dimensions</b>	Ø 220 x 50 (H) mm Ø 270 x 43 (H) mm Ø 400 x 63 (H) mm	
<b>IP</b>	Ø 22 44 Ø 27 20 Ø 40 20	
<b>Dimming</b>	Triac Dimming	
<b>Warranty</b>	3 years	




<b>Product name</b>	Luxe Square	
<b>Designer</b>	FAZE	
<b>Manufacturer</b>	FAZE	
<b>Product code</b>	Ø210 DIM 83-LXS2115DW (White) 83-LXS2115DS (Silver) Ø260 DIM 83-LXS2629DW (White) 83-LXS2629DS (Silver) Ø400 DIM 83-LXS04038DW (White) 83-LXS4038DS (Silver)	Ø210 NON-DIM 83-LXS2115W (White) 83-LXS2115S (Silver) Ø260 NON-DIM 83-LXS2629W (White) 83-LXS2629S (Silver) Ø400 NON-DIM 83-LXS04038W (White) 83-LXS4038S (Silver)
<b>Category</b>	Ceiling	
<b>Light source</b>	Ø210 LED 15W Ø260 LED 29W Ø260 LED 38W	
<b>CRI</b>	80+	
<b>Beam Angle</b>	110°	
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)	
<b>Lumens</b>	1000 at 15W 1100 at 29W 2600 at 38W	
<b>Finishes</b>	White Silver	
<b>Dimensions</b>	Ø 210 x 50 (H) mm Ø 260 x 43 (H) mm Ø 400 x 63 (H) mm	
<b>IP</b>	Ø 21 44 Ø 26 20 Ø 40 20	
<b>Dimming</b>	Triac Dimming	
<b>Warranty</b>	3 years	









<b>Product name</b>	Luxe Long
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	900 DIM 83-LXL9029DW (White) 83-LXL9029DS (Silver) 900 NON DIM 83-LXL9029W (White) 83-LXL9029S (Silver) 1200 NON DIM 83-LXL12038W (White) 83-LXL12038S (Silver)
<b>Category</b>	Ceiling
<b>Light source</b>	900 LED 29W 1200 LED 38W
<b>CRI</b>	80+
<b>Beam Angle</b>	110°
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	2200 at 29W 2800 at 38W
<b>Finishes</b>	White Silver
<b>Dimensions</b>	900 (W) x 130 (H) x 55 (D) mm 1200 (W) x 130 (H) x 55 (D) mm
<b>IP</b>	44
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	3 years






<b>Product name</b>	LED Strips 30
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-7-30-24-94
<b>Category</b>	LED
<b>Light source</b>	LED 7.2W per meter
<b>CRI</b>	94
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	480 per meter
<b>Dimensions</b>	5000 (L) x 10 (W) mm
<b>IP</b>	20
<b>Dimming</b>	No (Upon Request)
<b>Warranty</b>	5 years







<b>Product name</b>	LED Strip 60
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-14-60-24-94
<b>Category</b>	LED
<b>Light source</b>	LED 14.4W per meter
<b>CRI</b>	94
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	960 per meter
<b>Dimensions</b>	5000 (L) x 10 (W) mm
<b>IP</b>	20
<b>Dimming</b>	No (Upon Request)
<b>Warranty</b>	5 years





<b>Product name</b>	LED Strips 120
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-23-120-24-94
<b>Category</b>	LED
<b>Light source</b>	LED 23W per meter
<b>CRI</b>	94
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	1500 per meter
<b>Dimensions</b>	5000 (L) x 10 (W) mm
<b>IP</b>	20
<b>Dimming</b>	No (Upon Request)
<b>Warranty</b>	5 years









<b>Product name</b>	LED Strips Profile
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-20
<b>Category</b>	LED
<b>Dimensions</b>	23.5 (W) x 10 (H) mm
<b>Warranty</b>	5 years



<b>Product name</b>	Cubix
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-CBX9NMSW (Sand White) 83-CBX9NMSB (Sand Black) 83-CBX9NMS (Silver)
<b>Category</b>	Wall
<b>Light source</b>	LED 9W
<b>CRI</b>	90+
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	2 x 400 at 9W
<b>Finishes</b>	Sand White (SW) Sand Black (SB) Silver (S)
<b>Dimensions</b>	60 (W) x 125 (H) x 105 (D) mm
<b>IP</b>	65
<b>Dimming</b>	No
<b>Warranty</b>	3 Years




<b>Product name</b>	Cubix Square
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	NON-DIM 83-CBXS9NMSW (Sand White) 83-CBXS9NMSB (Sand Black) 83-CBXS9NMS (Silver)
<b>Category</b>	Wall
<b>Light source</b>	LED 9W
<b>CRI</b>	90+
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	2 x 400 at 9W
<b>Finishes</b>	Sand White (SW) Sand Black (SB) Silver (S)
<b>Dimensions</b>	102 (W) x 102 (H) x 105 (D) mm
<b>IP</b>	65
<b>Dimming</b>	No
<b>Warranty</b>	3 Years







<b>Product name</b>	Lift
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-LIFT6NSW (Sand White) 83-LIFT6NSB (Sand Black)
<b>Category</b>	Wall
<b>Light source</b>	LED 6W
<b>CRI</b>	90+
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Lumens</b>	550 at 6W
<b>Finishes</b>	Sand White (SW) Sand Black (SB)
<b>Dimensions</b>	120 (W) x 200 (H) x 107 (D) mm
<b>IP</b>	20
<b>Dimming</b>	Triac Dimming
<b>Warranty</b>	3 Years



Product name	Platform
Designer	FAZE
Manufacturer	FAZE
Product code	83-PLATFORM12N... 83-PLATFORM12D... 83-PLATFORM27N... 83-PLATFORM27D...
Category	Wall
Light source	LED 12W / 28W
CRI	90+
Colour Temperature	3000K Warm White 4000K Cool White (Upon Request)
Lumens	1100 at 12W 2335 at 28W
Finishes	Sand Black (SB) Sand White (SB)
Dimensions	205 (W) x 27 (H) x 95 (D) mm
IP	20
Dimming	Triac Dimming
Warranty	3 Years



<b>Product name</b>	Slide
<b>Designer</b>	FAZE
<b>Manufacturer</b>	FAZE
<b>Product code</b>	83-SLIDE4NSB (Sand Black) 83-SLIDE4NSWB (Sand White/Black) 83-SLIDE4NABB (Alu Brush/Black)
<b>Category</b>	Wall
<b>Light source</b>	LED 4W
<b>CRI</b>	90+
<b>Colour Temperature</b>	3000K Warm White 4000K Cool White (Upon Request)
<b>Finishes</b>	Sand Black (SB) Sand White/Black (SWB) Alu Brush Black (ABB)
<b>Dimensions</b>	Ø 350 x 124 (H) x 81 (D) mm
<b>IP</b>	40
<b>Dimming</b>	No
<b>Warranty</b>	3 Years





# FAZe

2017



# FAZE

A DIVISION OF RADIANT LIGHTING

[www.radiantlighting.com.au](http://www.radiantlighting.com.au)

#### PERTH

T +61 08 9240 1008  
F +61 08 9240 1178  
E [sales@radiantlighting.com.au](mailto:sales@radiantlighting.com.au)

#### SYDNEY

T 1300 438 609  
F 1300 438 610  
E [sydney@radiantlighting.com.au](mailto:sydney@radiantlighting.com.au)

#### MELBOURNE

T 1300 438 609  
F 1300 438 610  
E [melbourne@radiantlighting.com.au](mailto:melbourne@radiantlighting.com.au)

#### BRISBANE

T 1300 438 609  
F 1300 438 610  
E [brisbane@radiantlighting.com.au](mailto:brisbane@radiantlighting.com.au)