

FAZE
LINE


In better
light.

LINE OPAL *series*

INTRODUCTION

LINE *Opal*

PRODUCT HIGHLIGHTS





In better *light.*

Faze is a brand of Radiant Lighting with over 30 years at the forefront of lighting quality, innovation and design.

As lighting designers, we understand light and what can be achieved using well designed luminaires that are made from the best components.

Based in Perth, FAZE has grown into a truly International company. We source the best quality materials from Japan, Germany, Italy and with a new state of the art production facility in China, we create the best quality luminaires that will stand the test of time. With sustainability in mind, we also do our best to produce luminaires that are environmentally conscious; strategically designing them with components that can be replaced and added to over time.

We take our commitment to Quality and Compliance very seriously, ensuring that we always meet and exceed the highest possible standards. With a new cutting-edge testing and compliance facility based at our head office in Balcatta, we are now leading the way with quality in everything that we do.

We collaborate with architects, designers and builders every single day to incorporate light into their projects. This helps us understand the market and create truly unique and innovative luminaires.

The continued advancement in LED technology provides us with so many opportunities to expand and grow our brand, as well as the ability to make sure that every product stamped with the FAZE logo has the best optical performance and optimal visual comfort no matter what the project.


FAZE aims to fill the gaps in the current lighting market, providing many lighting solutions and endless design possibilities with it's luminaires.

LINE OPAL **series**

The LINE OPAL series are as practical as they are stylish.
With numerous mounting and style options, they
providing flexibility across both residential and
commercial projects.



Line Opal




Available in 4 lengths

L 600mm | 1200mm | 1800mm | 2400mm

Neat Canopy Installation



Overview

The Line Opal Canopy is easy to install, with just a half twist locking it into the ceiling. There are no visible screws and one of the wire suspensions is mounted through the canopy itself; resulting in a much neater finished product.




GLARE REDUCTION

The Line Opal incorporates a deep set LED heat sink and special opal diffuser, these combined give it a UGR of less than 22; therefore reducing glare and creating visual comfort.




LINE Opal

The LINE OPAL can be surface mounted or suspended; providing flexibility across both residential and commercial projects. If the four different lengths are not enough, you can connect them together and create your own.



QUICK CONNECTION SYSTEM

Our specially designed aluminium joiner is made to fit perfectly between any required lengths and provide super strong support, this results in seamless joins and a flawless visual alignment.



+ Quick and easy connection system

+ Specially designed ceiling canopy for fast installation and seamless design

+ Surface mounted or suspension options






+ 240V Built-In Flicker Free Driver

+ CRI 90+
High CRI for excellent light quality and visual comfort

+ Simple rotary fixation and disassembly with a screwdriver



+ Opal Diffuser



FLICKER FREE DIMMING

Unlike many other linear systems, the Line Opal features phase cut, flicker-free dimming. It's range has a smooth transition between 0-100% with an option of DALI or 1-10 volt if requested.


UNLIMITED POSSIBILITIES


Available in mounted and suspended options as well as various lengths, the LINE OPAL series allows for unlimited possibilities for any space.






PRE-CONFIGURED EXAMPLES OF LENGTHS USING LINEAR MODULES



 Additional length added onto the 2400mm length fitting



LNE OPAL

PRODUCT CODE

600mm, 15W, White, 3000K	7-LI410615W903
600mm, 15W, White, 4000K	7-LI410615W904
600mm, 15W, Black, 3000K	7-LI410615B903
600mm, 15W, Black, 4000K	7-LI410615B904
1200mm, 30W, White, 3000K	7-LI411230W903
1200mm, 30W, White, 4000K	7-LI411230W904
1200mm, 30W, Black, 3000K	7-LI411230B903
1200mm, 30W, Black, 4000K	7-LI411230B904
1800mm, 45W, White, 3000K	7-LI411840W903
1800mm, 45W, White, 4000K	7-LI411840W904
1800mm, 45W, Black, 3000K	7-LI411840B903
1800mm, 45W, Black, 4000K	7-LI411840B904
2400mm, 60W, White, 3000K	7-LI412460W903
2400mm, 60W, White, 4000K	7-LI412460W904
2400mm, 60W, Black, 3000K	7-LI412460B903
2400mm, 60W, Black, 4000K	7-LI412460B904

DRIVER SPECIFICATIONS

Power	240V Built-in Flicker Free Dimmable Driver
Dimming	Phase Cut Dimming
Power Factor	> 0.90

ACCESSORIES

Aluminium Joiners

7-LI41CONNECT

GENERAL SPECIFICATIONS

LED	15W 30W 45W 60W
Lumens	1200 lm 2400 lm 3200 lm 4800 lm (3000K)
Colour	<div><div></div> 3000K, Warm White</div> <div><div></div> 4000K, Cool White</div>
Efficacy	80 lm/w (3000K)
Beam	90°
Material	Aluminium
CRI	90+
Finish	White Black
IP	40
Colour Deviation	SDCM ≥3
Warranty	5 Years
Lifetime	60,000hrs





1300 438 609

Radiant Lighting
10 Gibberd Road
Balcatta W.A 6021

www.faze.com.au

