



F A Z E
L I T E

In better
light.

LITE series

INTRODUCTION

LITE 108 highlights

PRODUCT HIGHLIGHTS

LITE MINI highlights

PRODUCT HIGHLIGHTS





In better **light.**

Faze is a brand of Radiant Lighting with over 30 years at the forefront of lighting quality, innovation and design.

As lighting designers, we understand light and what can be achieved using well designed luminaires that are made from the best components.

Based in Perth, FAZE has grown into a truly International company. We source the best quality materials from Japan, Germany, Italy and with a new state of the art production facility in China, we create the best quality luminaires that will stand the test of time. With sustainability in mind, we also do our best to produce luminaires that are environmentally conscious; strategically designing them with components that can be replaced and added to over time.

We take our commitment to Quality and Compliance very seriously, ensuring that we always meet and exceed the highest possible standards. With a new cutting-edge testing and compliance facility based at our head office in Balcatta, we are now leading the way with quality in everything that we do.

We collaborate with architects, designers and builders every single day to incorporate light into their projects. This helps us understand the market and create truly unique and innovative luminaires.

The continued advancement in LED technology provides us with so many opportunities to expand and grow our brand, as well as the ability to make sure that every product stamped with the FAZE logo has the best optical performance and optimal visual comfort no matter what the project.

FAZE aims to fill the gaps in the current lighting market, providing many lighting solutions and endless design possibilities with it's luminaires.

LITE series


The high-performance Faze LITE series features the latest in LED technology with high lumen per watt efficacy and visually dynamic illumination.



Lite 108




Lite mini



H 56mm

Ø 108mm



H 49mm

Ø 85mm




LITE 108 Highlights

This downlight provides functional, ambient light throughout any space and serves as the foundation of any good lighting plan.



Class leading reflector technology


The class leading reflector technology of the Lite series reduces glare for optimum visual comfort and lightness in every sense.



Available in 2 different beam angles

36°

60°



+ IC-4 rated

+ Specially designed heat sink


For class leading heat dissipation

+ LED chip

The latest in LED technology


+ Precision reflector with clear lens

For better light distribution and performance




LITE MINI Highlights

The LITE MINI creates the same visual dynamic illumination but using less lumen output. The LITE MINI works great in areas such as bathrooms, small spaces or secondary areas where less illumination is required and you can still enjoy the same beautiful style as the LITE 108.





Class leading reflector technology



Available in 2 different beam angles

36°

60°



+ IC-4 rated

+ Specially designed heat sink

For class leading heat dissipation

+ LED chip


The latest in LED technology

+ Precision reflector with clear lens

For better light distribution and performance


+ Front fascia available in white or black

For an option to suit any space






LITE 108



H 56mm



Ø108mm

PRODUCT CODE

White, 3000K, 36°	118-LI2L12W363
White, 4000K, 36°	118-LI2L12W364
Black, 3000K, 36°	118-LI2L12B363
Black, 4000K, 36°	118-LI2L12B364
White, 3000K, 60°	118-LI2L12W603
White 4000K, 60°	118-LI2L12W604
Black, 3000K, 60°	118-LI2L12B603
Black, 4000K, 60°	118-LI2L12B604

GENERAL SPECIFICATIONS

LED	12W
Lumens	980 lm
Colour	<div><div></div> 3000K, Warm White</div> <div><div></div> 4000K, Cool White</div>
Efficacy	Up to 81lm/W
Beam	36° 60°
Material	Powder Coat Aluminium
CRI	92+
Finish	White Black
IP	44
Colour Deviation	SDCM ≥2
Warranty	5 Years


DRIVER SPECIFICATIONS

L 104 x W 43 x H 24 mm


Power	240V Remote Dimmable Driver
Dimming	Phase Cut Dimming
Power Factor	> 0.90



LITE MINI



H 49mm



Ø85mm

PRODUCT CODE

White, 3000K, 36°	118-LI2M10W363
White, 4000K, 36°	118-LI2M10W364
Black, 3000K, 36°	118-LI2M10B363
Black, 4000K, 36°	118-LI2M10B364
White, 3000K, 60°	118-LI2M10W603
White 4000K, 60°	118-LI2M10W604
Black, 3000K, 60°	118-LI2M10B603
Black, 4000K, 60°	118-LI2M10B604

GENERAL SPECIFICATIONS

LED	10W
Lumens	850 lm
Colour	<div><div></div> 3000K, Warm White</div> <div><div></div> 4000K, Cool White</div>
Efficacy	Up to 85lm/W
Beam	36° 60°
Material	Powder Coat Aluminium
CRI	92+
Finish	White Black
IP	44
Colour Deviation	SDCM ≥2
Warranty	5 Years

DRIVER SPECIFICATIONS

L 104 x W 43 x H 24 mm

Power	240V Remote Dimmable Driver
Dimming	Phase Cut Dimming
Power Factor	> 0.90





F A Z E

1300 438 609

Radiant Lighting
10 Gibberd Road
Balcatta W.A 6021

www.faze.com.au

