



radiantlighting®

## SILVER RING CEILING 50

By PANZERI



CEILING

Aluminium ring with bottom high-transmittance screen in opal polycarbonate. Emission of direct light provided by LED module with technology DALI/Push DIM on all versions. Ring eventually finished in polyacrilic paint white, black, bronze or hand-decorated in golden leaf.

### PROJECT

TYPE

NOTES



### GENERAL SPECIFICATIONS

LED	25 W
LUMENS	1809 Lm
EFFICACY	72 Lm / W
COLOUR TEMPERATURE	3000K
MATERIAL	Pickled Sheet Metal, Aluminium, Transparent Polycarbonate Screen, Polyacrylic Paint or Gold Leaf
FINISH	White, Black, Bronze, Gold Leaf
CRI	90+
IP	40
COLOUR DEVIATION	SDCM ≤3
WEIGHT	4.90 kg
ORIGIN	Italy

### POWER SPECIFICATIONS

DRIVER	220-240V AC, 50/60Hz
DIMMABLE	DALI / Push Dim

### PRODUCT CODES

WHITE	51-P08201.050
BLACK	51-P08202.050
BRONZE	51-P08217.050
GOLD LEAF	51-P08221.050



radiantlighting®

## SILVER RING CEILING 80

By PANZERI



CEILING

Aluminium ring with bottom high-transmittance screen in opal polycarbonate. Emission of direct light provided by LED module with technology DALI/Push DIM on all versions. Ring eventually finished in polyacrylic paint white, black, bronze or hand-decorated in golden leaf.

### PROJECT

TYPE

NOTES



### GENERAL SPECIFICATIONS

LED	45 W
LUMENS	3053 Lm
EFFICACY	68 Lm / W
COLOUR TEMPERATURE	3000K
MATERIAL	Pickled Sheet Metal, Aluminium, Transparent Polycarbonate Screen, Polyacrylic Paint or Gold Leaf
FINISH	White, Black, Bronze, Gold Leaf
CRI	90+
IP	40
COLOUR DEVIATION	SDCM ≤3
WEIGHT	7.63 kg
ORIGIN	Italy

### POWER SPECIFICATIONS

DRIVER	220-240V AC, 50/60Hz
DIMMABLE	DALI / Push Dim

### PRODUCT CODES

WHITE	51-P08201.080
BLACK	51-P08202.080
BRONZE	51-P08217.080
GOLD LEAF	51-P08221.080



radiantlighting®

## SILVER RING CEILING 120

By PANZERI



CEILING

Aluminium ring with bottom high-transmittance screen in opal polycarbonate. Emission of direct light provided by LED module with technology DALI/Push DIM on all versions. Ring eventually finished in polyacrilic paint white, black, bronze or hand-decorated in golden leaf.

### PROJECT

TYPE

NOTES



### GENERAL SPECIFICATIONS

LED	75 W
LUMENS	5233 Lm
EFFICACY	70 Lm / W
COLOUR TEMPERATURE	3000K
MATERIAL	Pickled Sheet Metal, Aluminium, Transparent Polycarbonate Screen, Polyacrylic Paint or Gold Leaf
FINISH	White, Black, Bronze, Gold Leaf
CRI	90+
IP	40
COLOUR DEVIATION	SDCM $\leq 3$
WEIGHT	11.63 kg
ORIGIN	Italy

### POWER SPECIFICATIONS

DRIVER	220-240V AC, 50/60Hz
DIMMABLE	DALI / Push Dim

### PRODUCT CODES

WHITE	51-P08201.120
BLACK	51-P08202.120
BRONZE	51-P08217.120
GOLD LEAF	51-P08221.120



radiantlighting®

## SILVER RING CEILING 180

By PANZERI


CEILING

Aluminium ring with bottom high-transmittance screen in opal polycarbonate. Emission of direct light provided by LED module with technology DALI/Push DIM on all versions. Ring eventually finished in polyacrilic paint white, black, bronze or hand-decorated in golden leaf.

### PROJECT

TYPE

NOTES



### GENERAL SPECIFICATIONS

LED	110 W
LUMENS	7850 Lm
EFFICACY	71 Lm / W
COLOUR TEMPERATURE	3000K
MATERIAL	Pickled Sheet Metal, Aluminium, Transparent Polycarbonate Screen, Polyacrylic Paint or Gold Leaf
FINISH	White, Black, Bronze, Gold Leaf
CRI	90+
IP	40
COLOUR DEVIATION	SDCM $\leq 3$
WEIGHT	18.86 kg
ORIGIN	Italy

### POWER SPECIFICATIONS

DRIVER	220-240V AC, 50/60Hz
DIMMABLE	DALI / Push Dim

### PRODUCT CODES

WHITE	51-P08201.180
BLACK	51-P08202.180
BRONZE	51-P08217.180
GOLD LEAF	51-P08221.180